


Produits > Instrumentation > Vannes > Pointeaux

NV séries



Référence	C	F1	G	H	L	Flow Coefficient Cv	Inlet End Connection	Orifice	Outlet End Connection
NV1-F-2N-S316	30.5 mm	32.0 mm	13.5 mm	51.2 mm	42.0 mm	0.09	1/8" Female NPT	2.0 mm	1/8" Female NPT
NV1-F-2N-BRAS	30.5 mm	32.0 mm	13.5 mm	51.2 mm	42.0 mm	0.09	1/8" Female NPT	2.0 mm	1/8" Female NPT
NV1-M-2N-S316	29.5 mm	32.0 mm	13.5 mm	51.2 mm	42.0 mm	0.09	1/8" Male NPT	2.0 mm	1/8" Male NPT
NV1-M-2N-BRAS	29.5 mm	32.0 mm	13.5 mm	51.2 mm	42.0 mm	0.09	1/8" Male NPT	2.0 mm	1/8" Male NPT
NV1-MH-2N2T-S316	35.5 mm	32.0 mm	13.5 mm	51.2 mm	47.0 mm	0.09	1/8" Male NPT	2.0 mm	1/8" Hy-Lok
NV1-MH-2N2T-BRAS	35.5 mm	32.0 mm	13.5 mm	51.2 mm	47.0 mm	0.09	1/8" Male NPT	2.0 mm	1/8" Hy-Lok
NV1-H-2T-S316	35.5 mm	32.0 mm	13.5 mm	51.2 mm	52.0 mm	0.09	1/8" Hy-Lok	2.0 mm	1/8" Hy-Lok
NV1-H-2T-BRAS	35.5 mm	32.0 mm	13.5 mm	51.2 mm	52.0 mm	0.09	1/8" Hy-Lok	2.0 mm	1/8" Hy-Lok
NV1-H-3M-S316	35.5 mm	32.0 mm	13.5 mm	51.2 mm	52.0 mm	0.09	3mm Hy-Lok	2.0 mm	3mm Hy-Lok
NV1-H-3M-BRAS	35.5 mm	32.0 mm	13.5 mm	51.2 mm	52.0 mm	0.09	3mm Hy-Lok	2.0 mm	3mm Hy-Lok
NV2-F-2N-S316	30.5 mm	45.0 mm	13.5 mm	51.2 mm	42.0 mm	0.37	1/8" Female NPT	4.3 mm	1/8" Female NPT
NV2-F-2N-BRAS	30.5 mm	45.0 mm	13.5 mm	51.2 mm	42.0 mm	0.37	1/8" Female NPT	4.3 mm	1/8" Female NPT

Référence	C	F1	G	H	L	Flow Coefficient Cv	Inlet End Connection	Orifice	Outlet End Connection
NV2-M-2N-S316	30.5 mm	45.0 mm	13.5 mm	51.2 mm	42.0 mm	0.37	1/8" Male NPT	4.3 mm	1/8" Male NPT
NV2-M-2N-BRAS	30.5 mm	45.0 mm	13.5 mm	51.2 mm	42.0 mm	0.37	1/8" Male NPT	4.3 mm	1/8" Male NPT
NV2-M-4N-S316	34.5 mm	45.0 mm	13.5 mm	51.2 mm	50.0 mm	0.37	1/4" Male NPT	4.3 mm	1/4" Male NPT
NV2-M-4N-BRAS	34.5 mm	45.0 mm	13.5 mm	51.2 mm	50.0 mm	0.37	1/4" Male NPT	4.3 mm	1/4" Male NPT
NV2-MH-4N4T-S316	38.3 mm	45.0 mm	13.5 mm	51.2 mm	53.8 mm	0.37	1/4" Male NPT	4.3 mm	1/4" Hy-Lok
NV2-MH-4N4T-BRAS	38.3 mm	45.0 mm	13.5 mm	51.2 mm	53.8 mm	0.37	1/4" Male NPT	4.3 mm	1/4" Hy-Lok
NV2-H-6M-S316	38.3 mm	45.0 mm	13.5 mm	51.2 mm	57.6 mm	0.37	6mm Hy-Lok	4.3 mm	6mm Hy-Lok
NV2-H-6M-BRAS	38.3 mm	45.0 mm	13.5 mm	51.2 mm	57.6 mm	0.37	6mm Hy-Lok	4.3 mm	6mm Hy-Lok
NV2-H-4T-S316	38.3 mm	45.0 mm	13.5 mm	51.2 mm	57.6 mm	0.37	1/4" Hy-Lok	4.3 mm	1/4" Hy-Lok
NV2-H-4T-BRAS	38.3 mm	45.0 mm	13.5 mm	51.2 mm	57.6 mm	0.37	1/4" Hy-Lok	4.3 mm	1/4" Hy-Lok
NV2-H-8M-S316	39.1 mm	45.0 mm	13.5 mm	51.2 mm	59.2 mm	0.37	8mm Hy-Lok	4.3 mm	8mm Hy-Lok
NV2-H-8M-BRAS	39.1 mm	45.0 mm	13.5 mm	51.2 mm	59.2 mm	0.37	8mm Hy-Lok	4.3 mm	8mm Hy-Lok
NV3-F-4N-S316	41.0 mm	64.0 mm	20.0 mm	63.6 mm	56.0 mm	0.73	1/4" Female NPT	6.3 mm	1/4" Female NPT
NV3-F-4N-BRAS	41.0 mm	64.0 mm	20.0 mm	63.6 mm	56.0 mm	0.73	1/4" Female NPT	6.3 mm	1/4" Female NPT
NV3-F-4R-S316	41.0 mm	64.0 mm	20.0 mm	63.6 mm	56.0 mm	0.73	1/4" Female ISO	6.3 mm	1/4" Female ISO
NV3-F-4R-BRAS	41.0 mm	64.0 mm	20.0 mm	63.6 mm	56.0 mm	0.73	1/4" Female ISO	6.3 mm	1/4" Female ISO
NV3-MF-4N-S316	41.0 mm	64.0 mm	20.0 mm	63.6 mm	56.0 mm	0.73	1/4" Male NPT	6.3 mm	1/4" Female NPT
NV3-MF-4N-BRAS	41.0 mm	64.0 mm	20.0 mm	63.6 mm	56.0 mm	0.73	1/4" Male NPT	6.3 mm	1/4" Female NPT
NV3-MH-4N6T-S316	46.2 mm	64.0 mm	20.0 mm	63.6 mm	61.2 mm	0.73	1/4" Male NPT	6.3 mm	3/8" Hy-Lok
NV3-MH-4N6T-BRAS	46.2 mm	64.0 mm	20.0 mm	63.6 mm	61.2 mm	0.73	1/4" Male NPT	6.3 mm	3/8" Hy-Lok
NV3-M-6N-S316	42.0 mm	64.0 mm	20.0 mm	63.6 mm	58.0 mm	0.73	3/8" Male NPT	6.3 mm	3/8" Male NPT
NV3-M-6N-BRAS	42.0 mm	64.0 mm	20.0 mm	63.6 mm	58.0 mm	0.73	3/8" Male NPT	6.3 mm	3/8" Male NPT
NV3-MH-6N6T-S316	46.2 mm	64.0 mm	20.0 mm	63.6 mm	62.2 mm	0.73	3/8" Male NPT	6.3 mm	3/8" Hy-Lok
NV3-MH-6N6T-BRAS	46.2 mm	64.0 mm	20.0 mm	63.6 mm	62.2 mm	0.73	3/8" Male NPT	6.3 mm	3/8" Hy-Lok
NV3-MH-6N8T-S316	49.0 mm	64.0 mm	20.0 mm	63.6 mm	65.0 mm	0.73	3/8" Male NPT	6.3 mm	1/2" Hy-Lok
NV3-MH-6N8T-BRAS	49.0 mm	64.0 mm	20.0 mm	63.6 mm	65.0 mm	0.73	3/8" Male NPT	6.3 mm	1/2" Hy-Lok
NV3-H-10M-S316	46.2 mm	64.0 mm	20.0 mm	63.6 mm	66.4 mm	0.73	10mm Hy-Lok	6.3 mm	10mm Hy-Lok
NV3-H-10M-BRAS	46.2 mm	64.0 mm	20.0 mm	63.6 mm	66.4 mm	0.73	10mm Hy-Lok	6.3 mm	10mm Hy-Lok

Référence	C	F1	G	H	L	Flow Coefficient Cv	Inlet End Connection	Orifice	Outlet End Connection
NV3-H-6T-S316	46.2 mm	64.0 mm	20.0 mm	63.6 mm	66.4 mm	0.73	3/8" Hy-Lok	6.3 mm	3/8" Hy-Lok
NV3-H-6T-BRAS	46.2 mm	64.0 mm	20.0 mm	63.6 mm	66.4 mm	0.73	3/8" Hy-Lok	6.3 mm	3/8" Hy-Lok
NV3-H-12M-S316	49.0 mm	64.0 mm	20.0 mm	63.6 mm	72.0 mm	0.73	12mm Hy-Lok	6.3 mm	12mm Hy-Lok
NV3-H-12M-BRAS	49.0 mm	64.0 mm	20.0 mm	63.6 mm	72.0 mm	0.73	12mm Hy-Lok	6.3 mm	12mm Hy-Lok
NV3-H-8T-S316	49.0 mm	64.0 mm	20.0 mm	63.6 mm	72.0 mm	0.73	1/2" Hy-Lok	6.3 mm	1/2" Hy-Lok
NV3-H-8T-BRAS	49.0 mm	64.0 mm	20.0 mm	63.6 mm	72.0 mm	0.73	1/2" Hy-Lok	6.3 mm	1/2" Hy-Lok
NV4-F-6N-S316	57.0 mm	76.0 mm	22.5 mm	99.4 mm	76 mm	1.8	3/8" Female NPT	9.5 mm	3/8" Female NPT
NV4-F-6N-BRAS	57.0 mm	76.0 mm	22.5 mm	99.4 mm	76 mm	1.8	3/8" Female NPT	9.5 mm	3/8" Female NPT
NV4-F-6R-S316	57.0 mm	76.0 mm	22.5 mm	99.4 mm	76 mm	1.8	3/8" Female ISO	9.5 mm	3/8" Female ISO
NV4-F-6R-BRAS	57.0 mm	76.0 mm	22.5 mm	99.4 mm	76 mm	1.8	3/8" Female ISO	9.5 mm	3/8" Female ISO
NV4-F-8N-S316	57.0 mm	76.0 mm	22.5 mm	99.4 mm	76 mm	1.8	1/2" Female NPT	9.5 mm	1/2" Female NPT
NV4-F-8N-BRAS	57.0 mm	76.0 mm	22.5 mm	99.4 mm	76 mm	1.8	1/2" Female NPT	9.5 mm	1/2" Female NPT
NV4-F-8R-S316	57.0 mm	76.0 mm	22.5 mm	99.4 mm	76 mm	1.8	1/2" Female ISO	9.5 mm	1/2" Female ISO
NV4-F-8R-BRAS	57.0 mm	76.0 mm	22.5 mm	99.4 mm	76 mm	1.8	1/2" Female ISO	9.5 mm	1/2" Female ISO
NV4-M-8N-S316	57.0 mm	76.0 mm	22.5 mm	99.4 mm	76 mm	1.8	1/2" Male NPT	9.5 mm	1/2" Male NPT
NV4-M-8N-BRAS	57.0 mm	76.0 mm	22.5 mm	99.4 mm	76 mm	1.8	1/2" Male NPT	9.5 mm	1/2" Male NPT
NV4-MF-8N-S316	57.0 mm	76.0 mm	22.5 mm	99.4 mm	76 mm	1.8	1/2" Male NPT	9.5 mm	1/2" Female NPT
NV4-MF-8N-BRAS	57.0 mm	76.0 mm	22.5 mm	99.4 mm	76 mm	1.8	1/2" Male NPT	9.5 mm	1/2" Female NPT
NV4-H-8T-S316	67.5 mm	76.0 mm	22.5 mm	99.4 mm	97.0 mm	1.8	1/2" Hy-Lok	9.5 mm	1/2" Hy-Lok
NV4-H-8T-BRAS	67.5 mm	76.0 mm	22.5 mm	99.4 mm	97.0 mm	1.8	1/2" Hy-Lok	9.5 mm	1/2" Hy-Lok
NV4-H-12T-S316	67.5 mm	76.0 mm	22.5 mm	99.4 mm	97.0 mm	1.8	3/4" Hy-Lok	9.5 mm	3/4" Hy-Lok
NV4-H-12T-BRAS	67.5 mm	76.0 mm	22.5 mm	99.4 mm	97.0 mm	1.8	3/4" Hy-Lok	9.5 mm	3/4" Hy-Lok