


Produits > Instrumentation > Vannes > Boisseaux Sphériques

Série 112 - 3 voies



Référence	A	B1	D	E	F1	F2	G	H	W	End connection
B1V3H-1T-S316	42.6 mm	20.6 mm	8.8 mm	8.8 mm	5.5 mm	2.0 mm	15.0 mm	34.0 mm	17.5 mm	Hy-Lok Tube Fitting
B1V3H-1T-BRAS	42.6 mm	20.6 mm	8.8 mm	8.8 mm	5.5 mm	2.0 mm	15.0 mm	34.0 mm	17.5 mm	Hy-Lok Tube Fitting
B1V3H-3M-S316	50.8 mm	24.6 mm	8.8 mm	8.8 mm	5.5 mm	2.0 mm	15.0 mm	34.0 mm	17.5 mm	Hy-Lok Tube Fitting
B1V3H-3M-BRAS	50.8 mm	24.6 mm	8.8 mm	8.8 mm	5.5 mm	2.0 mm	15.0 mm	34.0 mm	17.5 mm	Hy-Lok Tube Fitting
B1V3H-2T-S316	50.8 mm	24.6 mm	8.8 mm	8.8 mm	5.5 mm	2.0 mm	15.0 mm	34.0 mm	17.5 mm	Hy-Lok Tube Fitting
B1V3H-2T-BRAS	50.8 mm	24.6 mm	8.8 mm	8.8 mm	5.5 mm	2.0 mm	15.0 mm	34.0 mm	17.5 mm	Hy-Lok Tube Fitting
B1V3F-2N-S316	41.2 mm	20.6 mm	8.8 mm	8.8 mm	5.5 mm	2.0 mm	15.0 mm	34.0 mm	17.5 mm	Female Thread
B1V3F-2N-BRAS	41.2 mm	20.6 mm	8.8 mm	8.8 mm	5.5 mm	2.0 mm	15.0 mm	34.0 mm	17.5 mm	Female Thread
B1V3H-6M-S316	55.4 mm	26.9 mm	8.8 mm	8.8 mm	5.5 mm	2.0 mm	15.0 mm	34.0 mm	17.5 mm	Hy-Lok Tube Fitting
B1V3H-6M-BRAS	55.4 mm	26.9 mm	8.8 mm	8.8 mm	5.5 mm	2.0 mm	15.0 mm	34.0 mm	17.5 mm	Hy-Lok Tube Fitting
B1V3H-4T-S316	55.4 mm	26.9 mm	8.8 mm	8.8 mm	5.5 mm	2.0 mm	15.0 mm	34.0 mm	17.5 mm	Hy-Lok Tube Fitting
B1V3H-4T-BRAS	55.4 mm	26.9 mm	8.8 mm	8.8 mm	5.5 mm	2.0 mm	15.0 mm	34.0 mm	17.5 mm	Hy-Lok Tube Fitting

Référence	A	B1	D	E	F1	F2	G	H	W	End connection
B2V3F-4N-S316	52.4 mm	26.2 mm	10 mm	10.0 mm	6.0 mm	2.5 mm	20.0 mm	41.2 mm	20.0 mm	Female Thread
B2V3F-4N-BRAS	52.4 mm	26.2 mm	10 mm	10.0 mm	6.0 mm	2.5 mm	20.0 mm	41.2 mm	20.0 mm	Female Thread
B2V3F-4R-S316	52.4 mm	26.2 mm	10 mm	10.0 mm	6.0 mm	2.5 mm	20.0 mm	41.2 mm	20.0 mm	Female Thread
B2V3F-4R-BRAS	52.4 mm	26.2 mm	10 mm	10.0 mm	6.0 mm	2.5 mm	20.0 mm	41.2 mm	20.0 mm	Female Thread
B2V3H-6M-S316	60.4 mm	29.5 mm	10 mm	10.0 mm	6.0 mm	2.5 mm	20.0 mm	41.2 mm	20.0 mm	Hy-Lok Tube Fitting
B2V3H-6M-BRAS	60.4 mm	29.5 mm	10 mm	10.0 mm	6.0 mm	2.5 mm	20.0 mm	41.2 mm	20.0 mm	Hy-Lok Tube Fitting
B2V3H-4T-S316	60.4 mm	29.5 mm	10 mm	10.0 mm	6.0 mm	2.5 mm	20.0 mm	41.2 mm	20.0 mm	Hy-Lok Tube Fitting
B2V3H-4T-BRAS	60.4 mm	29.5 mm	10 mm	10.0 mm	6.0 mm	2.5 mm	20.0 mm	41.2 mm	20.0 mm	Hy-Lok Tube Fitting
B2V3HM-4T4N-S316	60.4 mm	26.2 mm	10 mm	10.0 mm	6.0 mm	2.5 mm	20.0 mm	41.2 mm	20.0 mm	Hy-Lok Tube Fitting to Male Thread
B2V3HM-4T4N-BRAS	60.4 mm	26.2 mm	10 mm	10.0 mm	6.0 mm	2.5 mm	20.0 mm	41.2 mm	20.0 mm	Hy-Lok Tube Fitting to Male Thread
B2V3H-8M-S316	62.0 mm	30.2 mm	10 mm	10.0 mm	6.0 mm	2.5 mm	20.0 mm	41.2 mm	20.0 mm	Hy-Lok Tube Fitting
B2V3H-8M-BRAS	62.0 mm	30.2 mm	10 mm	10.0 mm	6.0 mm	2.5 mm	20.0 mm	41.2 mm	20.0 mm	Hy-Lok Tube Fitting
B3V3F-4N-S316	63.6 mm	31.8 mm	14.5 mm	14.5 mm	9.0 mm	3.0 mm	28.0 mm	52.8 mm	28.6 mm	Female Thread
B3V3F-4N-BRAS	63.6 mm	31.8 mm	14.5 mm	14.5 mm	9.0 mm	3.0 mm	28.0 mm	52.8 mm	28.6 mm	Female Thread
B3V3F-6N-S316	63.6 mm	31.8 mm	14.5 mm	14.5 mm	9.0 mm	3.0 mm	28.0 mm	52.8 mm	28.6 mm	Female Thread
B3V3F-6N-BRAS	63.6 mm	31.8 mm	14.5 mm	14.5 mm	9.0 mm	3.0 mm	28.0 mm	52.8 mm	28.6 mm	Female Thread
B3V3F-6R-S316	63.6 mm	31.8 mm	14.5 mm	14.5 mm	9.0 mm	3.0 mm	28.0 mm	52.8 mm	28.6 mm	Female Thread
B3V3F-6R-BRAS	63.6 mm	31.8 mm	14.5 mm	14.5 mm	9.0 mm	3.0 mm	28.0 mm	52.8 mm	28.6 mm	Female Thread
B3V3H-6T-S316	73.2 mm	35.8 mm	14.5 mm	14.5 mm	9.0 mm	3.0 mm	28.0 mm	52.8 mm	28.6 mm	Hy-Lok Tube Fitting
B3V3H-6T-BRAS	73.2 mm	35.8 mm	14.5 mm	14.5 mm	9.0 mm	3.0 mm	28.0 mm	52.8 mm	28.6 mm	Hy-Lok Tube Fitting
B3V3H-10M-S316	73.2 mm	35.8 mm	14.5 mm	14.5 mm	9.0 mm	3.0 mm	28.0 mm	52.8 mm	28.6 mm	Hy-Lok Tube Fitting
B3V3H-10M-BRAS	73.2 mm	35.8 mm	14.5 mm	14.5 mm	9.0 mm	3.0 mm	28.0 mm	52.8 mm	28.6 mm	Hy-Lok Tube Fitting
B4V3F-8N-S316	79.2 mm	39.6 mm	17.5 mm	17.5 mm	10.0 mm	3.0 mm	39.0 mm	67.0 mm	38.1 mm	Female Thread
B4V3F-8N-BRAS	79.2 mm	39.6 mm	17.5 mm	17.5 mm	10.0 mm	3.0 mm	39.0 mm	67.0 mm	38.1 mm	Female Thread
B4V3F-8R-S316	79.2 mm	39.6 mm	17.5 mm	17.5 mm	10.0 mm	3.0 mm	39.0 mm	67.0 mm	38.1 mm	Female Thread
B4V3F-8R-BRAS	79.2 mm	39.6 mm	17.5 mm	17.5 mm	10.0 mm	3.0 mm	39.0 mm	67.0 mm	38.1 mm	Female Thread
B4V3H-12M-S316	89.0 mm	44.5 mm	17.5 mm	17.5 mm	10.0 mm	3.0 mm	39.0 mm	67.0 mm	38.1 mm	Hy-Lok Tube Fitting
B4V3H-12M-BRAS	89.0 mm	44.5 mm	17.5 mm	17.5 mm	10.0 mm	3.0 mm	39.0 mm	67.0 mm	38.1 mm	Hy-Lok Tube Fitting

Référence	A	B1	D	E	F1	F2	G	H	W	End connection
B4V3H-8T-S316	89.0 mm	44.5 mm	17.5 mm	17.5 mm	10.0 mm	3.0 mm	39.0 mm	67.0 mm	38.1 mm	Hy-Lok Tube Fitting
B4V3H-8T-BRAS	89.0 mm	44.5 mm	17.5 mm	17.5 mm	10.0 mm	3.0 mm	39.0 mm	67.0 mm	38.1 mm	Hy-Lok Tube Fitting
B4V3H-12T-S316	89.0 mm	44.5 mm	17.5 mm	17.5 mm	10.0 mm	3.0 mm	39.0 mm	67.0 mm	38.1 mm	Hy-Lok Tube Fitting
B4V3H-12T-BRAS	89.0 mm	44.5 mm	17.5 mm	17.5 mm	10.0 mm	3.0 mm	39.0 mm	67.0 mm	38.1 mm	Hy-Lok Tube Fitting