


Produits > Instrumentation > Raccords double bague > Doubles bagues Hy-Lok > Union femelle

Té femelle Inversé



Référence	Tube O.D. (D)	Dimension A	Dimension B	Dimension L	Dimension I	Dimension L ₁	Material	Min. d	T (NPT)	Type
CRTF2-2N-S316	1/8 in 3.17 mm	12.70 mm	15.24 mm	24.63 mm	18.03 mm	19.05 mm	316 Stainless Steel	2.28 mm	1/8 in	Connects Fractional Tube to Male NPT Thread
CRTF4-2N-S316	1/4 in 6.35 mm	15.24 mm	17.78 mm	26.92 mm	19.55 mm	19.05 mm	316 Stainless Steel	4.82 mm	1/8 in	Connects Fractional Tube to Male NPT Thread
CRTF4-4N-S316	1/4 in 6.35 mm	15.24 mm	17.78 mm	29.71 mm	22.86 mm	22.35 mm	316 Stainless Steel	4.82 mm	1/4 in	Connects Fractional Tube to Male NPT Thread
CRTF6-4N-S316	3/8 in 9.52 mm	16.76 mm	19.30 mm	31.24 mm	23.87 mm	22.35 mm	316 Stainless Steel	7.11 mm	1/4 in	Connects Fractional Tube to Male NPT Thread
CRTF8-6N-S316	1/2 in 12.7 mm	22.86 mm	21.84 mm	36.06 mm	25.9 mm	22.35 mm	316 Stainless Steel	10.41 mm	3/8 in	Connects Fractional Tube to Male NPT Thread
CRTF8-8N-S316	1/2 in 12.7 mm	22.86 mm	21.84 mm	39.87 mm	29.71 mm	28.44 mm	316 Stainless Steel	10.41 mm	1/2 in	Connects Fractional Tube to Male NPT Thread
CRTF12-12N-S316	3/4 in 19.05 mm	24.38 mm	21.84 mm	44.70 mm	34.54 mm	31.75 mm	316 Stainless Steel	15.74 mm	3/4 in	Connects Fractional Tube to Male NPT Thread

Référence	Tube O.D. (D)	Dimension A	Dimension B	Dimension L	Dimension I	Dimension L ₁	Material	Min. d	T (NPT)	Type
CRTF16-12N-S316	1 in 25.4 mm	31.24 mm	26.41 mm	49.02 mm	36.83 mm	31.75 mm	316 Stainless Steel	22.35 mm	3/4 in	Connects Fractional Tube to Male NPT Thread
CRTF16-16N-S316	1 in 25.4 mm	31.24 mm	26.41 mm	53.59 mm	41.40 mm	38.10 mm	316 Stainless Steel	22.35 mm	1 in	Connects Fractional Tube to Male NPT Thread
CRTF6M-2N-S316	6.0 mm	15.3 mm	17.7 mm	46.0 mm	19.6 mm	19.0 mm	316 Stainless Steel	4.8 mm	1/8 in	Connects Metric Tube to Male NPT Thread
CRTF6M-4N-S316	6.0 mm	15.3 mm	17.7 mm	52.1 mm	22.4 mm	22.4 mm	316 Stainless Steel	4.8 mm	1/4 in	Connects Metric Tube to Male NPT Thread
CRTF6M-8N-S316	6.0 mm	15.3 mm	17.7 mm	34.5 mm	27.2 mm	28.4 mm	316 Stainless Steel	4.8 mm	1/2 in	Connects Metric Tube to Male NPT Thread
CRTF8M-2N-S316	8.0 mm	16.2 mm	18.6 mm	48.9 mm	22.4 mm	19.0 mm	316 Stainless Steel	6.4 mm	1/8 in	Connects Metric Tube to Male NPT Thread
CRTF8M-4N-S316	8.0 mm	16.2 mm	18.6 mm	53.0 mm	23.1 mm	22.4 mm	316 Stainless Steel	6.4 mm	1/4 in	Connects Metric Tube to Male NPT Thread
CRTF8M-6N-S316	8.0 mm	16.2 mm	18.6 mm	32.4 mm	25.2 mm	22.4 mm	316 Stainless Steel	6.4 mm	3/8 in	Connects Metric Tube to Male NPT Thread
CRTF8M-8N-S316	8.0 mm	16.2 mm	18.6 mm	35.2 mm	28.0 mm	28.4 mm	316 Stainless Steel	6.4 mm	1/2 in	Connects Metric Tube to Male NPT Thread
CRTF10M-4N-S316	10.0 mm	17.2 mm	19.5 mm	33.50 mm	25.9 mm	22.4 mm	316 Stainless Steel	7.9 mm	1/4 in	Connects Metric Tube to Male NPT Thread
CRTF12M-4N-S316	12.0 mm	22.8 mm	22.0 mm	58.4 mm	25.9 mm	22.4 mm	316 Stainless Steel	9.5 mm	1/4 in	Connects Metric Tube to Male NPT Thread
CRTF12M-6N-S316	12.0 mm	22.8 mm	22.0 mm	58.4 mm	25.9 mm	22.4 mm	316 Stainless Steel	9.5 mm	3/8 in	Connects Metric Tube to Male NPT Thread
CRTF12M-8N-S316	12.0 mm	22.8 mm	22.0 mm	38.8 mm	28.7 mm	28.4 mm	316 Stainless Steel	9.5 mm	1/2 in	Connects Metric Tube to Male NPT Thread
CRTF16M-8N-S316	16.0 mm	24.4 mm	22.0 mm	39.9 mm	29.7 mm	28.4 mm	316 Stainless Steel	12.7 mm	1/2 in	Connects Metric Tube to Male NPT Thread
CRTF2-2N-STEL	1/8 in 3.17 mm	12.70 mm	15.24 mm	24.63 mm	18.03 mm	19.05 mm	Carbon Steel	2.28 mm	1/8 in	Connects Fractional Tube to Male NPT Thread
CRTF4-2N-STEL	1/4 in 6.35 mm	15.24 mm	17.78 mm	26.92 mm	19.55 mm	19.05 mm	Carbon Steel	4.82 mm	1/8 in	Connects Fractional Tube to Male NPT Thread
CRTF4-4N-STEL	1/4 in 6.35 mm	15.24 mm	17.78 mm	29.71 mm	22.86 mm	22.35 mm	Carbon Steel	4.82 mm	1/4 in	Connects Fractional Tube to Male NPT Thread
CRTF6-4N-STEL	3/8 in 9.52 mm	16.76 mm	19.30 mm	31.24 mm	23.87 mm	22.35 mm	Carbon Steel	7.11 mm	1/4 in	Connects Fractional Tube to Male NPT Thread
CRTF8-6N-STEL	1/2 in 12.7 mm	22.86 mm	21.84 mm	36.06 mm	25.9 mm	22.35 mm	Carbon Steel	10.41 mm	3/8 in	Connects Fractional Tube to Male NPT Thread
CRTF8-8N-STEL	1/2 in 12.7 mm	22.86 mm	21.84 mm	39.87 mm	29.71 mm	28.44 mm	Carbon Steel	10.41 mm	1/2 in	Connects Fractional Tube to Male NPT Thread
CRTF12-12N-STEL	3/4 in 19.05 mm	24.38 mm	21.84 mm	44.70 mm	34.54 mm	31.75 mm	Carbon Steel	15.74 mm	3/4 in	Connects Fractional Tube to Male NPT Thread
CRTF16-12N-STEL	1 in 25.4 mm	31.24 mm	26.41 mm	49.02 mm	36.83 mm	31.75 mm	Carbon Steel	22.35 mm	3/4 in	Connects Fractional Tube to Male NPT Thread

Référence	Tube O.D. (D)	Dimension A	Dimension B	Dimension L	Dimension I	Dimension L ₁	Material	Min. d	T (NPT)	Type
CRTF16-16N-STEL	1 in 25.4 mm	31.24 mm	26.41 mm	53.59 mm	41.40 mm	38.10 mm	Carbon Steel	22.35 mm	1 in	Connects Fractional Tube to Male NPT Thread
CRTF6M-2N-STEL	6.0 mm	15.3 mm	17.7 mm	46.0 mm	19.6 mm	19.0 mm	Carbon Steel	4.8 mm	1/8 in	Connects Metric Tube to Male NPT Thread
CRTF6M-4N-STEL	6.0 mm	15.3 mm	17.7 mm	52.1 mm	22.4 mm	22.4 mm	Carbon Steel	4.8 mm	1/4 in	Connects Metric Tube to Male NPT Thread
CRTF6M-8N-STEL	6.0 mm	15.3 mm	17.7 mm	34.5 mm	27.2 mm	28.4 mm	Carbon Steel	4.8 mm	1/2 in	Connects Metric Tube to Male NPT Thread
CRTF8M-2N-STEL	8.0 mm	16.2 mm	18.6 mm	48.9 mm	22.4 mm	19.0 mm	Carbon Steel	6.4 mm	1/8 in	Connects Metric Tube to Male NPT Thread
CRTF8M-4N-STEL	8.0 mm	16.2 mm	18.6 mm	53.0 mm	23.1 mm	22.4 mm	Carbon Steel	6.4 mm	1/4 in	Connects Metric Tube to Male NPT Thread
CRTF8M-6N-STEL	8.0 mm	16.2 mm	18.6 mm	32.4 mm	25.2 mm	22.4 mm	Carbon Steel	6.4 mm	3/8 in	Connects Metric Tube to Male NPT Thread
CRTF8M-8N-STEL	8.0 mm	16.2 mm	18.6 mm	35.2 mm	28.0 mm	28.4 mm	Carbon Steel	6.4 mm	1/2 in	Connects Metric Tube to Male NPT Thread
CRTF10M-4N-STEL	10.0 mm	17.2 mm	19.5 mm	33.50 mm	25.9 mm	22.4 mm	Carbon Steel	7.9 mm	1/4 in	Connects Metric Tube to Male NPT Thread
CRTF12M-4N-STEL	12.0 mm	22.8 mm	22.0 mm	58.4 mm	25.9 mm	22.4 mm	Carbon Steel	9.5 mm	1/4 in	Connects Metric Tube to Male NPT Thread
CRTF12M-6N-STEL	12.0 mm	22.8 mm	22.0 mm	58.4 mm	25.9 mm	22.4 mm	Carbon Steel	9.5 mm	3/8 in	Connects Metric Tube to Male NPT Thread
CRTF12M-8N-STEL	12.0 mm	22.8 mm	22.0 mm	38.8 mm	28.7 mm	28.4 mm	Carbon Steel	9.5 mm	1/2 in	Connects Metric Tube to Male NPT Thread
CRTF16M-8N-STEL	16.0 mm	24.4 mm	22.0 mm	39.9 mm	29.7 mm	28.4 mm	Carbon Steel	12.7 mm	1/2 in	Connects Metric Tube to Male NPT Thread
CRTF2-2N-BRAS	1/8 in 3.17 mm	12.70 mm	15.24 mm	24.63 mm	18.03 mm	19.05 mm	Brass	2.28 mm	1/8 in	Connects Fractional Tube to Male NPT Thread
CRTF4-2N-BRAS	1/4 in 6.35 mm	15.24 mm	17.78 mm	26.92 mm	19.55 mm	19.05 mm	Brass	4.82 mm	1/8 in	Connects Fractional Tube to Male NPT Thread
CRTF4-4N-BRAS	1/4 in 6.35 mm	15.24 mm	17.78 mm	29.71 mm	22.86 mm	22.35 mm	Brass	4.82 mm	1/4 in	Connects Fractional Tube to Male NPT Thread
CRTF6-4N-BRAS	3/8 in 9.52 mm	16.76 mm	19.30 mm	31.24 mm	23.87 mm	22.35 mm	Brass	7.11 mm	1/4 in	Connects Fractional Tube to Male NPT Thread
CRTF8-6N-BRAS	1/2 in 12.7 mm	22.86 mm	21.84 mm	36.06 mm	25.9 mm	22.35 mm	Brass	10.41 mm	3/8 in	Connects Fractional Tube to Male NPT Thread
CRTF8-8N-BRAS	1/2 in 12.7 mm	22.86 mm	21.84 mm	39.87 mm	29.71 mm	28.44 mm	Brass	10.41 mm	1/2 in	Connects Fractional Tube to Male NPT Thread
CRTF12-12N-BRAS	3/4 in 19.05 mm	24.38 mm	21.84 mm	44.70 mm	34.54 mm	31.75 mm	Brass	15.74 mm	3/4 in	Connects Fractional Tube to Male NPT Thread
CRTF16-12N-BRAS	1 in 25.4 mm	31.24 mm	26.41 mm	49.02 mm	36.83 mm	31.75 mm	Brass	22.35 mm	3/4 in	Connects Fractional Tube to Male NPT Thread
CRTF16-16N-BRAS	1 in 25.4 mm	31.24 mm	26.41 mm	53.59 mm	41.40 mm	38.10 mm	Brass	22.35 mm	1 in	Connects Fractional Tube to Male NPT Thread

Référence	Tube O.D. (D)	Dimension A	Dimension B	Dimension L	Dimension I	Dimension L ₁	Material	Min. d	T (NPT)	Type
CRTF6M-2N-BRAS	6.0 mm	15.3 mm	17.7 mm	46.0 mm	19.6 mm	19.0 mm	Brass	4.8 mm	1/8 in	Connects Metric Tube to Male NPT Thread
CRTF6M-4N-BRAS	6.0 mm	15.3 mm	17.7 mm	52.1 mm	22.4 mm	22.4 mm	Brass	4.8 mm	1/4 in	Connects Metric Tube to Male NPT Thread
CRTF6M-8N-BRAS	6.0 mm	15.3 mm	17.7 mm	34.5 mm	27.2 mm	28.4 mm	Brass	4.8 mm	1/2 in	Connects Metric Tube to Male NPT Thread
CRTF8M-2N-BRAS	8.0 mm	16.2 mm	18.6 mm	48.9 mm	22.4 mm	19.0 mm	Brass	6.4 mm	1/8 in	Connects Metric Tube to Male NPT Thread
CRTF8M-4N-BRAS	8.0 mm	16.2 mm	18.6 mm	53.0 mm	23.1 mm	22.4 mm	Brass	6.4 mm	1/4 in	Connects Metric Tube to Male NPT Thread
CRTF8M-6N-BRAS	8.0 mm	16.2 mm	18.6 mm	32.4 mm	25.2 mm	22.4 mm	Brass	6.4 mm	3/8 in	Connects Metric Tube to Male NPT Thread
CRTF8M-8N-BRAS	8.0 mm	16.2 mm	18.6 mm	35.2 mm	28.0 mm	28.4 mm	Brass	6.4 mm	1/2 in	Connects Metric Tube to Male NPT Thread
CRTF10M-4N-BRAS	10.0 mm	17.2 mm	19.5 mm	33.50 mm	25.9 mm	22.4 mm	Brass	7.9 mm	1/4 in	Connects Metric Tube to Male NPT Thread
CRTF12M-4N-BRAS	12.0 mm	22.8 mm	22.0 mm	58.4 mm	25.9 mm	22.4 mm	Brass	9.5 mm	1/4 in	Connects Metric Tube to Male NPT Thread
CRTF12M-6N-BRAS	12.0 mm	22.8 mm	22.0 mm	58.4 mm	25.9 mm	22.4 mm	Brass	9.5 mm	3/8 in	Connects Metric Tube to Male NPT Thread
CRTF12M-8N-BRAS	12.0 mm	22.8 mm	22.0 mm	38.8 mm	28.7 mm	28.4 mm	Brass	9.5 mm	1/2 in	Connects Metric Tube to Male NPT Thread
CRTF16M-8N-BRAS	16.0 mm	24.4 mm	22.0 mm	39.9 mm	29.7 mm	28.4 mm	Brass	12.7 mm	1/2 in	Connects Metric Tube to Male NPT Thread