


Produits > Instrumentation > Raccords double bague > Doubles bagues Hy-Lok > Union

Union Passe-Cloison



Référence	Tube O.D. (D)	A	B	Min. d	L	I	I ₁	L ₁	Material	Type
CBU-1-S316	1/16 in 1.58 mm	8.63 mm	10.92 mm	1.27 mm	31.50 mm	23.87 mm	13.46 mm	17.27 mm	316 Stainless Steel	Tube cote pouce
CBU-2-S316	1/8 in 3.17 mm	12.70 mm	15.24 mm	2.28 mm	51.30 mm	38.10 mm	24.63 mm	31.24 mm	316 Stainless Steel	Tube cote pouce
CBU-3-S316	3/16 in 4.76 mm	13.71 mm	16.00 mm	3.04 mm	53.59 mm	40.38 mm	25.4 mm	32.00 mm	316 Stainless Steel	Tube cote pouce
CBU-4-S316	1/4 in 6.35 mm	15.24 mm	17.78 mm	4.82 mm	57.65 mm	42.92 mm	26.16 mm	33.52 mm	316 Stainless Steel	Tube cote pouce
CBU-5-S316	5/16 in 7.93 mm	16.25 mm	18.54 mm	6.35 mm	60.70 mm	45.97 mm	28.44 mm	35.81 mm	316 Stainless Steel	Tube cote pouce
CBU-6-S316	3/8 in 9.52 mm	16.76 mm	19.30 mm	7.11 mm	62.23 mm	47.49 mm	29.46 mm	36.83 mm	316 Stainless Steel	Tube cote pouce
CBU-8-S316	1/2 in 12.7 mm	22.86 mm	21.84 mm	10.41 mm	71.12 mm	50.8 mm	31.75 mm	41.91 mm	316 Stainless Steel	Tube cote pouce

Référence	Tube O.D. (D)	A	B	Min. d	L	I	l ₁	L ₁	Material	Type
CBU-10-S316	5/8 in 15.87 mm	24.38 mm	21.84 mm	12.70 mm	72.64 mm	52.32 mm	32.51 mm	42.67 mm	316 Stainless Steel	Tube cote pouce
CBU-12-S316	3/4 in 19.05 mm	24.38 mm	21.84 mm	15.74 mm	78.99 mm	58.67 mm	37.33 mm	47.49 mm	316 Stainless Steel	Tube cote pouce
CBU-14-S316	7/8 in 22.22 mm	25.90 mm	21.84 mm	18.28 mm	84.58 mm	64.26 mm	42.92 mm	53.08 mm	316 Stainless Steel	Tube cote pouce
CBU-16-S316	1 in 25.4 mm	31.24 mm	26.41 mm	22.35 mm	95.75 mm	71.37 mm	45.21 mm	57.40 mm	316 Stainless Steel	Tube cote pouce
CBU-20-S316	1 1/4 in 31.75 mm	41.14 mm	38.86 mm	27.68 mm	123.19 mm	78.99 mm	47.75 mm	69.85 mm	316 Stainless Steel	Tube cote pouce
CBU-24-S316	1 1/2 in 38.10 mm	50.03 mm	45.21 mm	34.03 mm	139.19 mm	84.83 mm	49.27 mm	76.45 mm	316 Stainless Steel	Tube cote pouce
CBU-32-S316	2 in 50.80 mm	67.56 mm	62.73 mm	45.97 mm	180.34 mm	105.66 mm	56.38 mm	93.72 mm	316 Stainless Steel	Tube cote pouce
CBU-3M-S316	3 mm	12.9 mm	15.3 mm	2.4 mm	51.30 mm	38.10 mm	24.6 mm	31.2 mm	316 Stainless Steel	Tube cote métrique
CBU-4M-S316	4 mm	13.7 mm	16.1 mm	2.4 mm	53.6 mm	40.4 mm	25.4 mm	32.0 mm	316 Stainless Steel	Tube cote métrique
CBU-6M-S316	6.0 mm	15.3 mm	17.7 mm	4.8 mm	57.7 mm	42.9 mm	26.2 mm	33.6 mm	316 Stainless Steel	Tube cote métrique
CBU-8M-S316	8.0 mm	16.2 mm	18.6 mm	6.4 mm	61.0 mm	46.0 mm	28.6 mm	36.1 mm	316 Stainless Steel	Tube cote métrique
CBU-10M-S316	10.0 mm	17.2 mm	19.5 mm	7.9 mm	63.7 mm	48.5 mm	29.4 mm	37.0 mm	316 Stainless Steel	Tube cote métrique
CBU-12M-S316	12.0 mm	22.8 mm	22.0 mm	9.5 mm	71.0 mm	50.8 mm	31.8 mm	41.9 mm	316 Stainless Steel	Tube cote métrique
CBU-15M-S316	15 mm	24.4 mm	22.0 mm	11.9 mm	72.5 mm	52.3 mm	32.5 mm	42.6 mm	316 Stainless Steel	Tube cote métrique
CBU-16M-S316	16.0 mm	24.4 mm	22.0 mm	12.7 mm	72.5 mm	52.3 mm	32.5 mm	42.6 mm	316 Stainless Steel	Tube cote métrique
CBU-18M-S316	18 mm	24.4 mm	22.0 mm	15.1 mm	78.9 mm	58.7 mm	37.3 mm	47.4 mm	316 Stainless Steel	Tube cote métrique
CBU-20M-S316	20 mm	26.0 mm	22.0 mm	15.9 mm	84.5 mm	64.3 mm	42.9 mm	53.0 mm	316 Stainless Steel	Tube cote métrique
CBU-22M-S316	22 mm	26.0 mm	22.0 mm	18.3 mm	84.5 mm	64.3 mm	42.9 mm	53.0 mm	316 Stainless Steel	Tube cote métrique
CBU-25M-S316	25 mm	31.3 mm	26.5 mm	21.8 mm	95.9 mm	71.4 mm	45.2 mm	57.5 mm	316 Stainless Steel	Tube cote métrique
CBU-32M-S316	32 mm	42.0 mm	41.6 mm	28.6 mm	128.3 mm	82.3 mm	49.5 mm	72.5 mm	316 Stainless Steel	Tube cote métrique
CBU-38M-S316	38 mm	49.4 mm	47.9 mm	33.7 mm	144.6 mm	89.4 mm	51.5 mm	79.1 mm	316 Stainless Steel	Tube cote métrique
CBU-1-STEL	1/16 in 1.58 mm	8.63 mm	10.92 mm	1.27 mm	31.50 mm	23.87 mm	13.46 mm	17.27 mm	Carbon Steel	Tube cote pouce
CBU-2-STEL	1/8 in 3.17 mm	12.70 mm	15.24 mm	2.28 mm	51.30 mm	38.10 mm	24.63 mm	31.24 mm	Carbon Steel	Tube cote pouce

Référence	Tube O.D. (D)	A	B	Min. d	L	I	l ₁	L ₁	Material	Type
CBU-3-STEL	3/16 in 4.76 mm	13.71 mm	16.00 mm	3.04 mm	53.59 mm	40.38 mm	25.4 mm	32.0 mm	Carbon Steel	Tube cote pouce
CBU-4-STEL	1/4 in 6.35 mm	15.24 mm	17.78 mm	4.82 mm	57.65 mm	42.92 mm	26.16 mm	33.52 mm	Carbon Steel	Tube cote pouce
CBU-5-STEL	5/16 in 7.93 mm	16.25 mm	18.54 mm	6.35 mm	60.70 mm	45.97 mm	28.44 mm	35.81 mm	Carbon Steel	Tube cote pouce
CBU-6-STEL	3/8 in 9.52 mm	16.76 mm	19.30 mm	7.11 mm	62.23 mm	47.49 mm	29.46 mm	36.83 mm	Carbon Steel	Tube cote pouce
CBU-8-STEL	1/2 in 12.7 mm	22.86 mm	21.84 mm	10.41 mm	71.12 mm	50.8 mm	31.75 mm	41.91 mm	Carbon Steel	Tube cote pouce
CBU-10-STEL	5/8 in 15.87 mm	24.38 mm	21.84 mm	12.7 mm	72.64 mm	52.32 mm	32.51 mm	42.67 mm	Carbon Steel	Tube cote pouce
CBU-12-STEL	3/4 in 19.05 mm	24.38 mm	21.84 mm	15.74 mm	78.99 mm	58.67 mm	37.33 mm	47.49 mm	Carbon Steel	Tube cote pouce
CBU-14-STEL	7/8 in 22.22 mm	25.90 mm	21.84 mm	18.28 mm	84.58 mm	64.26 mm	42.92 mm	53.08 mm	Carbon Steel	Tube cote pouce
CBU-16-STEL	1 in 25.4 mm	31.24 mm	26.41 mm	22.35 mm	95.75 mm	71.37 mm	45.21 mm	57.40 mm	Carbon Steel	Tube cote pouce
CBU-20-STEL	1 1/4 in 31.75 mm	41.14 mm	38.86 mm	27.68 mm	123.19 mm	78.99 mm	47.75 mm	69.85 mm	Carbon Steel	Tube cote pouce
CBU-24-STEL	1 1/2 in 38.10 mm	50.03 mm	45.21 mm	34.03 mm	139.19 mm	84.83 mm	49.27 mm	76.45 mm	Carbon Steel	Tube cote pouce
CBU-32-STEL	2 in 50.80 mm	67.56 mm	62.73 mm	45.97 mm	180.34 mm	105.66 mm	56.38 mm	93.72 mm	Carbon Steel	Tube cote pouce
CBU-3M-STEL	3 mm	12.9 mm	15.3 mm	2.4 mm	51.30 mm	38.10 mm	24.6 mm	31.2 mm	Carbon Steel	Tube cote métrique
CBU-4M-STEL	4 mm	13.7 mm	16.1 mm	2.4 mm	53.6 mm	40.4 mm	25.4 mm	32.0 mm	Carbon Steel	Tube cote métrique
CBU-6M-STEL	6.0 mm	15.3 mm	17.7 mm	4.8 mm	57.7 mm	42.9 mm	26.2 mm	33.6 mm	Carbon Steel	Tube cote métrique
CBU-8M-STEL	8.0 mm	16.2 mm	18.6 mm	6.4 mm	61.0 mm	46.0 mm	28.6 mm	36.1 mm	Carbon Steel	Tube cote métrique
CBU-10M-STEL	10.0 mm	17.2 mm	19.5 mm	7.9 mm	63.7 mm	48.5 mm	29.4 mm	37.0 mm	Carbon Steel	Tube cote métrique
CBU-12M-STEL	12.0 mm	22.8 mm	22.0 mm	9.5 mm	71.0 mm	50.8 mm	31.8 mm	41.9 mm	Carbon Steel	Tube cote métrique
CBU-15M-STEL	15 mm	24.4 mm	22.0 mm	11.9 mm	72.5 mm	52.3 mm	32.5 mm	42.6 mm	Carbon Steel	Tube cote métrique
CBU-16M-STEL	16.0 mm	24.4 mm	22.0 mm	12.7 mm	72.5 mm	52.3 mm	32.5 mm	42.6 mm	Carbon Steel	Tube cote métrique
CBU-18M-STEL	18 mm	24.4 mm	22.0 mm	15.1 mm	78.9 mm	58.7 mm	37.3 mm	47.4 mm	Carbon Steel	Tube cote métrique

Référence	Tube O.D. (D)	A	B	Min. d	L	I	l ₁	L ₁	Material	Type
CBU-20M-STEL	20 mm	26.0 mm	22.0 mm	15.9 mm	84.5 mm	64.3 mm	42.9 mm	53.0 mm	Carbon Steel	Tube cote métrique
CBU-22M-STEL	22 mm	26.0 mm	22.0 mm	18.3 mm	84.5 mm	64.3 mm	42.9 mm	53.0 mm	Carbon Steel	Tube cote métrique
CBU-25M-STEL	25 mm	31.3 mm	26.5 mm	21.8 mm	95.9 mm	71.4 mm	45.2 mm	57.5 mm	Carbon Steel	Tube cote métrique
CBU-32M-STEL	32 mm	42.0 mm	41.6 mm	28.6 mm	128.3 mm	82.3 mm	49.5 mm	72.5 mm	Carbon Steel	Tube cote métrique
CBU-38M-STEL	38 mm	49.4 mm	47.9 mm	33.7 mm	144.6 mm	89.4 mm	51.5 mm	79.1 mm	Carbon Steel	Tube cote métrique
CBU-1-BRAS	1/16 in 1.58 mm	8.63 mm	10.92 mm	1.27 mm	31.50 mm	23.87 mm	13.46 mm	17.27 mm	Brass	Tube cote pouce
CBU-2-BRAS	1/8 in 3.17 mm	12.70 mm	15.24 mm	2.28 mm	51.30 mm	38.10 mm	24.63 mm	31.24 mm	Brass	Tube cote pouce
CBU-3-BRAS	3/16 in 4.76 mm	13.71 mm	16.00 mm	3.04 mm	53.59 mm	40.38 mm	25.4 mm	32.0 mm	Brass	Tube cote pouce
CBU-4-BRAS	1/4 in 6.35 mm	15.24 mm	17.78 mm	4.82 mm	57.65 mm	42.92 mm	26.16 mm	33.52 mm	Brass	Tube cote pouce
CBU-5-BRAS	5/16 in 7.93 mm	16.25 mm	18.54 mm	6.35 mm	60.70 mm	45.97 mm	28.44 mm	35.81 mm	Brass	Tube cote pouce
CBU-6-BRAS	3/8 in 9.52 mm	16.76 mm	19.30 mm	7.11 mm	62.23 mm	47.49 mm	29.46 mm	36.83 mm	Brass	Tube cote pouce
CBU-8-BRAS	1/2 in 12.7 mm	22.86 mm	21.84 mm	10.41 mm	71.12 mm	50.8 mm	31.75 mm	41.91 mm	Brass	Tube cote pouce
CBU-10-BRAS	5/8 in 15.87 mm	24.38 mm	21.84 mm	12.7 mm	72.64 mm	52.32 mm	32.51 mm	42.67 mm	Brass	Tube cote pouce
CBU-12-BRAS	3/4 in 19.05 mm	24.38 mm	21.84 mm	15.74 mm	78.99 mm	58.67 mm	37.33 mm	47.49 mm	Brass	Tube cote pouce
CBU-14-BRAS	7/8 in 22.22 mm	25.90 mm	21.84 mm	18.28 mm	84.58 mm	64.26 mm	42.92 mm	53.08 mm	Brass	Tube cote pouce
CBU-16-BRAS	1 in 25.4 mm	31.24 mm	26.41 mm	22.35 mm	95.75 mm	71.37 mm	45.21 mm	57.40 mm	Brass	Tube cote pouce
CBU-20-BRAS	1 1/4 in 31.75 mm	41.14 mm	38.86 mm	27.68 mm	123.19 mm	78.99 mm	47.75 mm	69.85 mm	Brass	Tube cote pouce
CBU-24-BRAS	1 1/2 in 38.10 mm	50.03 mm	45.21 mm	34.03 mm	139.19 mm	84.83 mm	49.27 mm	76.45 mm	Brass	Tube cote pouce
CBU-32-BRAS	2 in 50.80 mm	67.56 mm	62.73 mm	45.97 mm	180.34 mm	105.66 mm	56.38 mm	93.72 mm	Brass	Tube cote pouce
CBU-3M-BRAS	3 mm	12.9 mm	15.3 mm	2.4 mm	51.30 mm	38.10 mm	24.6 mm	31.2 mm	Brass	Tube cote métrique

Référence	Tube O.D. (D)	A	B	Min. d	L	I	l ₁	L ₁	Material	Type
CBU-4M-BRAS	4 mm	13.7 mm	16.1 mm	2.4 mm	53.6 mm	40.4 mm	25.4 mm	32.0 mm	Brass	Tube cote métrique
CBU-6M-BRAS	6.0 mm	15.3 mm	17.7 mm	4.8 mm	57.7 mm	42.9 mm	26.2 mm	33.6 mm	Brass	Tube cote métrique
CBU-8M-BRAS	8.0 mm	16.2 mm	18.6 mm	6.4 mm	61.0 mm	46.0 mm	28.6 mm	36.1 mm	Brass	Tube cote métrique
CBU-10M-BRAS	10.0 mm	17.2 mm	19.5 mm	7.9 mm	63.7 mm	48.5 mm	29.4 mm	37.0 mm	Brass	Tube cote métrique
CBU-12M-BRAS	12.0 mm	22.8 mm	22.0 mm	9.5 mm	71.0 mm	50.8 mm	31.8 mm	41.9 mm	Brass	Tube cote métrique
CBU-15M-BRAS	15 mm	24.4 mm	22.0 mm	11.9 mm	72.5 mm	52.3 mm	32.5 mm	42.6 mm	Brass	Tube cote métrique
CBU-16M-BRAS	16.0 mm	24.4 mm	22.0 mm	12.7 mm	72.5 mm	52.3 mm	32.5 mm	42.6 mm	Brass	Tube cote métrique
CBU-18M-BRAS	18 mm	24.4 mm	22.0 mm	15.1 mm	78.9 mm	58.7 mm	37.3 mm	47.4 mm	Brass	Tube cote métrique
CBU-20M-BRAS	20 mm	26.0 mm	22.0 mm	15.9 mm	84.5 mm	64.3 mm	42.9 mm	53.0 mm	Brass	Tube cote métrique
CBU-22M-BRAS	22 mm	26.0 mm	22.0 mm	18.3 mm	84.5 mm	64.3 mm	42.9 mm	53.0 mm	Brass	Tube cote métrique
CBU-25M-BRAS	25 mm	31.3 mm	26.5 mm	21.8 mm	95.9 mm	71.4 mm	45.2 mm	57.5 mm	Brass	Tube cote métrique
CBU-32M-BRAS	32 mm	42.0 mm	41.6 mm	28.6 mm	128.3 mm	82.3 mm	49.5 mm	72.5 mm	Brass	Tube cote métrique
CBU-38M-BRAS	38 mm	49.4 mm	47.9 mm	33.7 mm	144.6 mm	89.4 mm	51.5 mm	79.1 mm	Brass	Tube cote métrique